







株式会社モリタ電器  
 東京都港区台場2-2-2 ウエスト棟602室  
 TEL: 03-3527-6771  
 メール: info@mrt-electric.com


Item. No.	Photo	Features & Specifications	Details																								
<b>Solar Street Courtyard Plaza Light</b>																											
<b>ESL-04</b> 900 lumens All in one Solar Plaza Light	<p>Item: ESL-04</p> <p>www.sresky.com CE RoHS FC</p>	<b>Features:</b> Aluminum alloy case, Patent integrated design 15.6W solar panel and 900lumens superbright LED light Professional light distribution for wide lighting Replaceable big battery, can support 3 nights.min lighting Easy to install on pole																									
		<table border="1"> <tr> <td><b>LED</b></td> <td><b>900Lumens,48 LEDs,2700k-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>26000 mAh / 3.7 V</td> </tr> <tr> <td>Solar Panel</td> <td>15.6W 5.5V</td> </tr> <tr> <td>Install height</td> <td>3~4 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>9~10 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + ABS</td> </tr> <tr> <td>Size</td> <td>526*163mm</td> </tr> <tr> <td>Work temperature</td> <td>-25℃ to 65℃</td> </tr> <tr> <td>Warranty</td> <td>2 years</td> </tr> </table>	<b>LED</b>	<b>900Lumens,48 LEDs,2700k-6500K</b>	Li-ion battery	26000 mAh / 3.7 V	Solar Panel	15.6W 5.5V	Install height	3~4 meters	Waterproof	IP 65	Solar charging time	9~10 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + ABS	Size	526*163mm	Work temperature	-25℃ to 65℃	Warranty	2 years	<table border="1"> <tr> <td style="text-align: center;"><b>Lighting mode</b></td> </tr> <tr> <td style="text-align: center;"><b>5 Hrs high bright + 7 Hrs 25% dim light</b></td> </tr> <tr> <td> <b>Application:</b>            Courtyard/Garden/Park/Street/Roadway/pathway/Parking            Lot/Private road/Sidewalk/Public square/plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base         </td> </tr> <tr> <td> <b>Packing details:</b>            Retail packaging: L56*W21*H56CM            Carton size: L58*W44*H58CM            QTY/CTNS: 2PCS            G.W/CTNS: 16 KG         </td> </tr> </table>	<b>Lighting mode</b>	<b>5 Hrs high bright + 7 Hrs 25% dim light</b>
<b>LED</b>	<b>900Lumens,48 LEDs,2700k-6500K</b>																										
Li-ion battery	26000 mAh / 3.7 V																										
Solar Panel	15.6W 5.5V																										
Install height	3~4 meters																										
Waterproof	IP 65																										
Solar charging time	9~10 hours by bright sunlight																										
<b>Lighting time</b>	<b>Over 3 nights</b>																										
Material	Aluminium alloy + ABS																										
Size	526*163mm																										
Work temperature	-25℃ to 65℃																										
Warranty	2 years																										
<b>Lighting mode</b>																											
<b>5 Hrs high bright + 7 Hrs 25% dim light</b>																											
<b>Application:</b> Courtyard/Garden/Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base																											
<b>Packing details:</b> Retail packaging: L56*W21*H56CM Carton size: L58*W44*H58CM QTY/CTNS: 2PCS G.W/CTNS: 16 KG																											
<b>ESL-14</b> 1500 lumens All in one Solar Plaza Light	<p>Item: ESL-14</p> <p>www.sresky.com CE RoHS FC</p>	<b>Features:</b> Aluminum alloy case, Patent integrated design 35 W solar panel and 1500lumens superbright LED light Replaceable big battery, can support over 3 nights lighting Easy to install on pole																									
		<table border="1"> <tr> <td><b>LED</b></td> <td><b>1500Lumens,48 LEDs,2700k-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>230.88WH / 22.2 V</td> </tr> <tr> <td>Solar Panel</td> <td>35W 30V</td> </tr> <tr> <td>Install height</td> <td>3~5 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>9 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + ABS</td> </tr> <tr> <td>Size</td> <td>690 x 727 x 223 mm</td> </tr> <tr> <td>Work temperature</td> <td>-25℃ to 65℃</td> </tr> <tr> <td>Warranty</td> <td>2 years</td> </tr> </table>	<b>LED</b>	<b>1500Lumens,48 LEDs,2700k-6500K</b>	Li-ion battery	230.88WH / 22.2 V	Solar Panel	35W 30V	Install height	3~5 meters	Waterproof	IP 65	Solar charging time	9 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + ABS	Size	690 x 727 x 223 mm	Work temperature	-25℃ to 65℃	Warranty	2 years	<table border="1"> <tr> <td style="text-align: center;"><b>Lighting mode</b></td> </tr> <tr> <td style="text-align: center;"><b>5 Hrs 100% brightness 1500lumen + 7 Hrs 25% dim light</b></td> </tr> <tr> <td> <b>Application:</b>            Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base         </td> </tr> <tr> <td> <b>Packing details:</b>            Retail packaging: L82*W82*H27CM            Carton size: L82*W82*H27CM            QTY/CTNS: 1PCS            G.W/CTNS: 12KG         </td> </tr> </table>	<b>Lighting mode</b>	<b>5 Hrs 100% brightness 1500lumen + 7 Hrs 25% dim light</b>
<b>LED</b>	<b>1500Lumens,48 LEDs,2700k-6500K</b>																										
Li-ion battery	230.88WH / 22.2 V																										
Solar Panel	35W 30V																										
Install height	3~5 meters																										
Waterproof	IP 65																										
Solar charging time	9 hours by bright sunlight																										
<b>Lighting time</b>	<b>Over 3 nights</b>																										
Material	Aluminium alloy + ABS																										
Size	690 x 727 x 223 mm																										
Work temperature	-25℃ to 65℃																										
Warranty	2 years																										
<b>Lighting mode</b>																											
<b>5 Hrs 100% brightness 1500lumen + 7 Hrs 25% dim light</b>																											
<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base																											
<b>Packing details:</b> Retail packaging: L82*W82*H27CM Carton size: L82*W82*H27CM QTY/CTNS: 1PCS G.W/CTNS: 12KG																											


Item. No.	Photo	Features & Specifications	Details																										
<p><b>ESL-24</b> 3000 lumens All in one Solar Plaza Light</p>	 <p>Item: ESL-24 www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Aluminum alloy case, Patent integrated design 50 W solar panel and 3000 lumens superbright LED light 9 LED panels for wide lighting area. Replaceable big battery, can support over 3 nights lighting</p> <table border="1"> <tr> <td><b>LED</b></td> <td><b>3000Lumens,156 LEDs,2700k-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>461.76WH / 22.2 V</td> </tr> <tr> <td>Solar Panel</td> <td>60W 30V</td> </tr> <tr> <td>Install height</td> <td>4-6 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>12-13 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + ABS</td> </tr> <tr> <td>Size</td> <td>935 x 905 x 234 mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> <tr> <td>Warranty</td> <td>2 years</td> </tr> </table>	<b>LED</b>	<b>3000Lumens,156 LEDs,2700k-6500K</b>	Li-ion battery	461.76WH / 22.2 V	Solar Panel	60W 30V	Install height	4-6 meters	Waterproof	IP 65	Solar charging time	12-13 hours by bright sunlight	<b>Lighting time</b>		Material	Aluminium alloy + ABS	Size	935 x 905 x 234 mm	Work temperature	-25°C to 65°C	Warranty	2 years	<table border="1"> <tr> <td><b>Lighting mode</b></td> </tr> <tr> <td><b>5 Hrs 100% brightness 3000 lumens + 7 Hrs 25% dim light</b></td> </tr> <tr> <td><b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base</td> </tr> <tr> <td><b>Packing details:</b> Retail packaging: L105*W105*H28CM Carton size: L105*W105*H28CM QTY/CTNS: 1PCS G.W/CTNS: 21.2KG</td> </tr> </table>	<b>Lighting mode</b>	<b>5 Hrs 100% brightness 3000 lumens + 7 Hrs 25% dim light</b>	<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base	<b>Packing details:</b> Retail packaging: L105*W105*H28CM Carton size: L105*W105*H28CM QTY/CTNS: 1PCS G.W/CTNS: 21.2KG
<b>LED</b>	<b>3000Lumens,156 LEDs,2700k-6500K</b>																												
Li-ion battery	461.76WH / 22.2 V																												
Solar Panel	60W 30V																												
Install height	4-6 meters																												
Waterproof	IP 65																												
Solar charging time	12-13 hours by bright sunlight																												
<b>Lighting time</b>																													
Material	Aluminium alloy + ABS																												
Size	935 x 905 x 234 mm																												
Work temperature	-25°C to 65°C																												
Warranty	2 years																												
<b>Lighting mode</b>																													
<b>5 Hrs 100% brightness 3000 lumens + 7 Hrs 25% dim light</b>																													
<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base																													
<b>Packing details:</b> Retail packaging: L105*W105*H28CM Carton size: L105*W105*H28CM QTY/CTNS: 1PCS G.W/CTNS: 21.2KG																													

<p><b>ESL-20</b> (2000 lumens All in one Solar street LED Light)</p>	 <p>Item: ESL-20 www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Elegant Integrated Design,Aluminum alloy case Superbright LEDs, 2000Lumens Every element can be easily replaced by users Over 140°wide lighting angle Support 3 nights lighting time Easy to install</p> <table border="1"> <tr> <td><b>LED</b></td> <td><b>2000Lumens,384 LEDs,2700K-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>288.6WH / 22.2V</td> </tr> <tr> <td>Solar Panel</td> <td>35W / 30V</td> </tr> <tr> <td>Install height</td> <td>4-5 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>12 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + steel glass</td> </tr> <tr> <td>Size</td> <td>488*1091*116.5mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> </table>	<b>LED</b>	<b>2000Lumens,384 LEDs,2700K-6500K</b>	Li-ion battery	288.6WH / 22.2V	Solar Panel	35W / 30V	Install height	4-5 meters	Waterproof	IP 65	Solar charging time	12 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + steel glass	Size	488*1091*116.5mm	Work temperature	-25°C to 65°C	<table border="1"> <tr> <td><b>Lighting Mode</b></td> </tr> <tr> <td><b>5Hrs 100% light+ 25% light till dawn</b></td> </tr> <tr> <td><b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use</td> </tr> <tr> <td><b>Packing details:</b> Carton size: L115*W25*H57 CM QTY/CTNS: 1PC G.W/CTNS: 26KG</td> </tr> </table>	<b>Lighting Mode</b>	<b>5Hrs 100% light+ 25% light till dawn</b>	<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use	<b>Packing details:</b> Carton size: L115*W25*H57 CM QTY/CTNS: 1PC G.W/CTNS: 26KG
<b>LED</b>	<b>2000Lumens,384 LEDs,2700K-6500K</b>																										
Li-ion battery	288.6WH / 22.2V																										
Solar Panel	35W / 30V																										
Install height	4-5 meters																										
Waterproof	IP 65																										
Solar charging time	12 hours by bright sunlight																										
<b>Lighting time</b>	<b>Over 3 nights</b>																										
Material	Aluminium alloy + steel glass																										
Size	488*1091*116.5mm																										
Work temperature	-25°C to 65°C																										
<b>Lighting Mode</b>																											
<b>5Hrs 100% light+ 25% light till dawn</b>																											
<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use																											
<b>Packing details:</b> Carton size: L115*W25*H57 CM QTY/CTNS: 1PC G.W/CTNS: 26KG																											



<p><b>ESL-30</b> (3000 lumens All in one Solar street LED Light)</p>	 <p>Item: ESL-30 www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Elegant Integrated Design,Aluminum alloy case Superbright LEDs, 3000Lumens Every element can be easily replaced by users Over 140°wide lighting angle</p> <table border="1"> <tr> <td><b>LED</b></td> <td><b>3000Lumens,2700K-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>346.32WH,22.2V</td> </tr> <tr> <td>Solar Panel</td> <td>47W, 30V</td> </tr> <tr> <td>Install height</td> <td>4-6 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> </table>	<b>LED</b>	<b>3000Lumens,2700K-6500K</b>	Li-ion battery	346.32WH,22.2V	Solar Panel	47W, 30V	Install height	4-6 meters	Waterproof	IP 65	<table border="1"> <tr> <td><b>Lighting Mode</b></td> </tr> <tr> <td><b>5Hrs 100% light+ 25% light till dawn</b></td> </tr> <tr> <td><b>Application:</b></td> </tr> </table>	<b>Lighting Mode</b>	<b>5Hrs 100% light+ 25% light till dawn</b>	<b>Application:</b>
<b>LED</b>	<b>3000Lumens,2700K-6500K</b>															
Li-ion battery	346.32WH,22.2V															
Solar Panel	47W, 30V															
Install height	4-6 meters															
Waterproof	IP 65															
<b>Lighting Mode</b>																
<b>5Hrs 100% light+ 25% light till dawn</b>																
<b>Application:</b>																

Item. No.	Photo	Features & Specifications	Details												
Street LED Light	 <p>The packing</p> <p>www.sresky.com CE RoHS FC</p>	<table border="1"> <tr> <td>Solar charging time</td> <td>10 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + steel glass</td> </tr> <tr> <td>Size</td> <td>488*1091*116.5mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> <tr> <td>Warranty</td> <td>3 years</td> </tr> </table>	Solar charging time	10 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + steel glass	Size	488*1091*116.5mm	Work temperature	-25°C to 65°C	Warranty	3 years	<p>Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Goverment project for special use</p> <p><b>Packing details:</b> Carton size: L115*W25*H57 CM QTY/CTNS: 1PC G.W/CTNS: 28KG</p>
Solar charging time	10 hours by bright sunlight														
<b>Lighting time</b>	<b>Over 3 nights</b>														
Material	Aluminium alloy + steel glass														
Size	488*1091*116.5mm														
Work temperature	-25°C to 65°C														
Warranty	3 years														

<p><b>ESL-40</b> (4000 lumens All in one Solar street LED Light)</p>	 <p>Item: ESL-40</p> <p>The packing</p> <p>www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Elegant Integrated Design,Aluminum alloy case Superbright LEDs, 4000Lumens Every element can be easily replaced by users Over 140°wide lighting angle Support 3 nights ligting itme Easy to install</p>																					
		<table border="1"> <tr> <td><b>LED</b></td> <td><b>4000Lumens,2700K-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>461.76WH, 22.2V</td> </tr> <tr> <td>Solar Panel</td> <td>60W,30V</td> </tr> <tr> <td>Install height</td> <td>6~8 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>10-11 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + steel glass</td> </tr> <tr> <td>Size</td> <td>488*1300*117mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> <tr> <td>Warranty</td> <td>3 years</td> </tr> </table>	<b>LED</b>	<b>4000Lumens,2700K-6500K</b>	Li-ion battery	461.76WH, 22.2V	Solar Panel	60W,30V	Install height	6~8 meters	Waterproof	IP 65	Solar charging time	10-11 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + steel glass	Size	488*1300*117mm	Work temperature	-25°C to 65°C	Warranty
<b>LED</b>	<b>4000Lumens,2700K-6500K</b>																						
Li-ion battery	461.76WH, 22.2V																						
Solar Panel	60W,30V																						
Install height	6~8 meters																						
Waterproof	IP 65																						
Solar charging time	10-11 hours by bright sunlight																						
<b>Lighting time</b>	<b>Over 3 nights</b>																						
Material	Aluminium alloy + steel glass																						
Size	488*1300*117mm																						
Work temperature	-25°C to 65°C																						
Warranty	3 years																						
		<p><b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Goverment project for special use</p> <p><b>Packing details:</b> Carton size: L135*W25*H57 CM QTY/CTNS: 1PC G.W/CTNS: 34KG</p>																					

<p><b>ESL-48</b> (4800 lumens Solar Street Light High Power Sparated LED Light)</p>	 <p>Item: ESL-48</p> <p>The packing</p> <p>Tips: Solar panel in the wood case. Lamp in the carton</p> <p>www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Elegant Integrated Design,Aluminum alloy case Superbright LEDs, 4800Lumens Every element can be easily replaced by users Over 140°wide lighting angle Support 3 nights ligting itme Easy to install</p>																					
		<table border="1"> <tr> <td><b>LED</b></td> <td><b>4800Lumens,2700K-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>692.64WH, 22.2V</td> </tr> <tr> <td>Solar Panel</td> <td>100W,30V</td> </tr> <tr> <td>Install height</td> <td>6~8 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>10 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + ABS</td> </tr> <tr> <td>Size</td> <td>1092*488*116.5mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> <tr> <td>Warranty</td> <td>3 years</td> </tr> </table>	<b>LED</b>	<b>4800Lumens,2700K-6500K</b>	Li-ion battery	692.64WH, 22.2V	Solar Panel	100W,30V	Install height	6~8 meters	Waterproof	IP 65	Solar charging time	10 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + ABS	Size	1092*488*116.5mm	Work temperature	-25°C to 65°C	Warranty
<b>LED</b>	<b>4800Lumens,2700K-6500K</b>																						
Li-ion battery	692.64WH, 22.2V																						
Solar Panel	100W,30V																						
Install height	6~8 meters																						
Waterproof	IP 65																						
Solar charging time	10 hours by bright sunlight																						
<b>Lighting time</b>	<b>Over 3 nights</b>																						
Material	Aluminium alloy + ABS																						
Size	1092*488*116.5mm																						
Work temperature	-25°C to 65°C																						
Warranty	3 years																						
		<p><b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Goverment project for special use</p> <p><b>Packing details:</b> Carton size: Solar Panel: 103.5*69.5*5.5 cm, Lamp: 115*25*57 cm Solar Panel QTY/CTNS: 1PC Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)&gt; Solar Panel: 9.5KG,Lamp: 27KG, Total 36.5KG Option B (Contain Wood case)&gt; Solar Panel: 48.5KG,Lamp: 27KG, Total 75.5KG</p>																					



Item. No.	Photo	Features & Specifications	Details																														
<p><b>ESL-72</b> (7200 lumens High power Solar street for government project)</p>	 <p>Item: ESL-72</p> <p>Tips: Solar panel in the wood case, Lamp in the carton</p> <p>www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Elegant Integrated Design, Aluminum alloy case Superbright LEDs, 7200Lumens Every element can be easily replaced by users Over 140°wide lighting angle Support 3 nights lighting time Easy to install</p> <table border="1" data-bbox="824 256 1375 708"> <tr> <td><b>LED</b></td> <td><b>7200Lumens,2700K-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>1038.96WH, 22.2V</td> </tr> <tr> <td>Solar Panel</td> <td>160W,30V</td> </tr> <tr> <td>Install height</td> <td>8-10 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>9 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + ABS +steel glass</td> </tr> <tr> <td>Size</td> <td>1092*488*116.5mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> <tr> <td>Warranty</td> <td>3 years</td> </tr> </table>	<b>LED</b>	<b>7200Lumens,2700K-6500K</b>	Li-ion battery	1038.96WH, 22.2V	Solar Panel	160W,30V	Install height	8-10 meters	Waterproof	IP 65	Solar charging time	9 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + ABS +steel glass	Size	1092*488*116.5mm	Work temperature	-25°C to 65°C	Warranty	3 years	<table border="1" data-bbox="1375 256 2092 708"> <tr> <td colspan="2" style="text-align: center;"><b>Lighting Mode</b></td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>5Hrs 100% light+ 25% light till dawn</b></td> </tr> <tr> <td colspan="2"><b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use</td> </tr> <tr> <td colspan="2"><b>Packing details:</b> Carton size: Solar Panel:113.5*101.5*5.5 cm, Lamp:115*25*57cm Solar Panel QTY/CTNS: 1PC Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)&gt; Solar Panel: 14.5KG, Lamp: 30KG, Total 44.5KG Option B (Contain Wood case)&gt; Solar Panel: 27KG, Lamp: 30KG, Total 57KG</td> </tr> </table>	<b>Lighting Mode</b>		<b>5Hrs 100% light+ 25% light till dawn</b>		<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use		<b>Packing details:</b> Carton size: Solar Panel:113.5*101.5*5.5 cm, Lamp:115*25*57cm Solar Panel QTY/CTNS: 1PC Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)> Solar Panel: 14.5KG, Lamp: 30KG, Total 44.5KG Option B (Contain Wood case)> Solar Panel: 27KG, Lamp: 30KG, Total 57KG	
<b>LED</b>	<b>7200Lumens,2700K-6500K</b>																																
Li-ion battery	1038.96WH, 22.2V																																
Solar Panel	160W,30V																																
Install height	8-10 meters																																
Waterproof	IP 65																																
Solar charging time	9 hours by bright sunlight																																
<b>Lighting time</b>	<b>Over 3 nights</b>																																
Material	Aluminium alloy + ABS +steel glass																																
Size	1092*488*116.5mm																																
Work temperature	-25°C to 65°C																																
Warranty	3 years																																
<b>Lighting Mode</b>																																	
<b>5Hrs 100% light+ 25% light till dawn</b>																																	
<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use																																	
<b>Packing details:</b> Carton size: Solar Panel:113.5*101.5*5.5 cm, Lamp:115*25*57cm Solar Panel QTY/CTNS: 1PC Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)> Solar Panel: 14.5KG, Lamp: 30KG, Total 44.5KG Option B (Contain Wood case)> Solar Panel: 27KG, Lamp: 30KG, Total 57KG																																	
<p><b>ESL-96</b> (9600 lumens High power Solar street for government project)</p>	 <p>Item: ESL-96</p> <p>Tips: 2pcs solar panels in a wood case, Lamp in carton</p> <p>www.sresky.com CE RoHS FC</p>	<p><b>Features:</b> Elegant Integrated Design, Aluminum alloy case Superbright LEDs, 9600Lumens Every element can be easily replaced by users Over 140°wide lighting angle Support 3 nights lighting time Easy to install</p> <table border="1" data-bbox="824 911 1375 1366"> <tr> <td><b>LED</b></td> <td><b>9600Lumens,2700K-6500K</b></td> </tr> <tr> <td>Li-ion battery</td> <td>1731.6WH, 22.2V</td> </tr> <tr> <td>Solar Panel</td> <td>110W*2pcs,30V</td> </tr> <tr> <td>Install height</td> <td>8-12 meters</td> </tr> <tr> <td>Waterproof</td> <td>IP 65</td> </tr> <tr> <td>Solar charging time</td> <td>10-11 hours by bright sunlight</td> </tr> <tr> <td><b>Lighting time</b></td> <td><b>Over 3 nights</b></td> </tr> <tr> <td>Material</td> <td>Aluminium alloy + ABS +steel glass</td> </tr> <tr> <td>Size</td> <td>1092*488*116.5mm</td> </tr> <tr> <td>Work temperature</td> <td>-25°C to 65°C</td> </tr> <tr> <td>Warranty</td> <td>3 years</td> </tr> </table>	<b>LED</b>	<b>9600Lumens,2700K-6500K</b>	Li-ion battery	1731.6WH, 22.2V	Solar Panel	110W*2pcs,30V	Install height	8-12 meters	Waterproof	IP 65	Solar charging time	10-11 hours by bright sunlight	<b>Lighting time</b>	<b>Over 3 nights</b>	Material	Aluminium alloy + ABS +steel glass	Size	1092*488*116.5mm	Work temperature	-25°C to 65°C	Warranty	3 years	<table border="1" data-bbox="1375 991 2092 1366"> <tr> <td colspan="2" style="text-align: center;"><b>Lighting Mode</b></td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>5Hrs 100% light+ 25% light till dawn</b></td> </tr> <tr> <td colspan="2"><b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm &amp; Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use</td> </tr> <tr> <td colspan="2"><b>Packing details:</b> Carton size:Solar Panel(2PCS):128.5*69.5*9.5CM,Lamp:115*25*57CM Solar Panel QTY/CTNS: 2PCS Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)&gt; Solar Panel(2PCS):21.5KG, Lamp:34KG, Total 55.5KG Option B (Contain Wood case)&gt; Solar Panel(2PCS):33KG, Lamp:34KG, Total 67KG</td> </tr> </table>	<b>Lighting Mode</b>		<b>5Hrs 100% light+ 25% light till dawn</b>		<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use		<b>Packing details:</b> Carton size:Solar Panel(2PCS):128.5*69.5*9.5CM,Lamp:115*25*57CM Solar Panel QTY/CTNS: 2PCS Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)> Solar Panel(2PCS):21.5KG, Lamp:34KG, Total 55.5KG Option B (Contain Wood case)> Solar Panel(2PCS):33KG, Lamp:34KG, Total 67KG	
<b>LED</b>	<b>9600Lumens,2700K-6500K</b>																																
Li-ion battery	1731.6WH, 22.2V																																
Solar Panel	110W*2pcs,30V																																
Install height	8-12 meters																																
Waterproof	IP 65																																
Solar charging time	10-11 hours by bright sunlight																																
<b>Lighting time</b>	<b>Over 3 nights</b>																																
Material	Aluminium alloy + ABS +steel glass																																
Size	1092*488*116.5mm																																
Work temperature	-25°C to 65°C																																
Warranty	3 years																																
<b>Lighting Mode</b>																																	
<b>5Hrs 100% light+ 25% light till dawn</b>																																	
<b>Application:</b> Courtyard/Garden/ Park/Street/Roadway/pathway/Parking Lot/Private road/Sidewalk/Public square/ plaza/Campus/Airfield/Farm & Ranch/Perimeter Security/ Wildlife area/Remote Area/Military Base/High way/Government project for special use																																	
<b>Packing details:</b> Carton size:Solar Panel(2PCS):128.5*69.5*9.5CM,Lamp:115*25*57CM Solar Panel QTY/CTNS: 2PCS Lamp QTY/CTNS: 1PC G.W/CTNS: Option A (Only paper Carton)> Solar Panel(2PCS):21.5KG, Lamp:34KG, Total 55.5KG Option B (Contain Wood case)> Solar Panel(2PCS):33KG, Lamp:34KG, Total 67KG																																	